


New HabaFLOW® TPU Belts offer Excellent Flatness

Habasit's new 1-ply HabaFLOW® TPU food conveyor belts have been developed to ensure precise positioning and gentle handling of small and fragile foodstuffs.

The construction of the new FAB-3E and FNB-3E conveyor and processing belts eliminates cupping and wrinkling, especially on very wide and short transfer conveyors.

Potential problem with common design






New design with excellent flatness



New TPU Belts offer Excellent Flatness

The FAB-3E and FNB-3E belts feature a special fabric construction that guarantees best lateral stability, a key requirement of food processing applications such as:

- Conveying of delicate, small-sized products (e.g. pralines or biscuits)
- Short but wide transfer conveyors
- Long and wide cooling lines
- Automated packing lines
- General conveying and processing of light-weight goods that require precise positioning over the whole belt width

	Features	Benefits
	<ul style="list-style-type: none"> ● Specific weft yarn 	<ul style="list-style-type: none"> → Excellent lateral stiffness → No cupping or wrinkling → Precise positioning of small products
	<ul style="list-style-type: none"> ● Nosebar suitability 	<ul style="list-style-type: none"> → Gentle handling and reduced damage to fragile foodstuffs → Shortest transfer space between different conveyors
	<ul style="list-style-type: none"> ● Special monoplex fabric 	<ul style="list-style-type: none"> → Reduced noise emission, especially on nosebar applications at high speed



Headquarters
 Habasit AG
 CH-4153 Reinach-Basel
 Phone +41 61 715 15 15
 Fax +41 61 715 15 55
 E-mail info@habasit.com
www.habasit.com

Copyright Habasit AG
 Subject to alterations
 Printed in Switzerland
 Publication data:
 4271FLY.CVB-en1209HOR

Product liability, application considerations

If the proper selection and application of Habasit products are not recommended by an authorized Habasit sales specialist, the selection and application of Habasit products, including the related area of product safety, are the responsibility of the customer. All indications / information are recommendations and believed to be reliable, but no representations, guarantees, or warranties of any kind are made as to their accuracy or suitability for particular applications. The data provided herein are based on laboratory work with small-scale test equipment, running at standard conditions, and do not necessarily match product performance in industrial use. New knowledge and experiences can lead to modifications and changes within a short time without prior notice.

BECAUSE CONDITIONS OF USE ARE OUTSIDE OF HABASIT'S AND ITS AFFILIATED COMPANIES' CONTROL, WE CANNOT ASSUME ANY LIABILITY CONCERNING THE SUITABILITY AND PROCESS ABILITY OF THE PRODUCTS MENTIONED HEREIN. THIS ALSO APPLIES TO PROCESS RESULTS / OUTPUT / MANUFACTURING GOODS AS WELL AS TO POSSIBLE DEFECTS, DAMAGES, CONSEQUENTIAL DAMAGES, AND FURTHER-REACHING CONSEQUENCES.